

# METROLOGY®


*Universal Bevel Protractor*



*Bevel Box*



*Vernier Type*



*Spirit Level (Horizontal)*



*Dial Type*



*Digital Protractor*



*Digital Type*

■ Spirit Level (Horizontal)

For checking and leveling flat or cylindrical surfaces of X-Y axis direction of any machines.



LE-9200H



Clear and precise level bubbles

Model No.	Measuring Range	Accuracy
LE-9150H	L:150mm	±0.004mm
LE-9200H	L:200mm	±0.004mm
LE-9300H	L:300mm	±0.004mm


\*Sensitivity: 0.02mm/M

■ Spirit Level (Square)

For checking and leveling flat or cylindrical surfaces in both horizontal and vertical positions of any machines.



LE-9150S




V-type base precision scraping machining.

Model No.	Measuring Range	Accuracy
LE-9150S	L:150*150mm	±0.004mm
LE-9200S	L*200*200mm	±0.004mm
LE-9300S	L*300*300mm	±0.004mm

\*Sensitivity: 0.02mm/M

## ■ Universal Bevel Protractor


Sets include stainless steel body, 6" and 12" length blade and acute angle attachment.



### Vernier type

Model No.	Measuring Range	Accuracy
UA-9000	0~360°	±5'

Graduation: 5'



### Dial type

Model No.	Measuring Range	Accuracy
UA-9000D	4*90°	±5'

Graduation: 5'



### Digital type

Model No.	Measuring Range	Accuracy
UA-9000E	0~360°	±4'

Resolution: 1' / 0.01°



■ Angle Finder



AF-A1




AF-A2


Model No.	Measuring Range	Resolution	Accuracy	Remark
AF-A1	0-180°	0.1°	±0.2°	With aluminum measuring bar
AF-A2	0-360°	0.05°		With spirit level

■ Digital Protractor

Purpose: For angle measuring of machine assembly, machining, structural engineering, and QC inspections.



PT-A1



PT-A2

Model No.	Measuring Range	Resolution	Accuracy	Remark
PT-A1	0-180°	0.1°	±0.2°	Without magnet base, Length: 151mm
PT-A2				With magnet base, Length: 151mm

**Button functional**

ON/OFF: turn on/off key

HOLD: memory display value


ZERO: Setting zero at any position, with self-calibrating function

## ■ Bevel Box

- Can be used for measuring level and angles of machine assembly, measuring instrument, machine shops, and parts inspections.
- Can be set to zero at any angle, relative angles measurements of both faces.
- Can be use instantly as absolute level measurement after power on.
- Lightweight aluminum housing, includes magnetic face on 3 sides.
- With screen backlight function for measurement in the dark.



Model No.	Measuring Range	Resolution	Accuracy	Dimension
BB-digilevel	4X90°	0.05°	±0.2°	54*54*23mm



Button Function:  
 ⏻ : turn on/off key  
 HOLD : number lock  
 💡 : Backlight function key  
 ZERO : set zero